

ADMIN UI

A Guide to Style

Event	Presenter(s)	Date	Start	Stop	Location
Name of Event 1	Dr. John Smith	2013 - 11 - 29	16:00	17:00	123A John Hall
Name of Event 2	Annie Brown	2013 - 11 - 29	12:00	14:00	101 Brown Hall
Name of Event 3	Smar Llull	2013 - 11 - 29	16:00	12:40	101 Brown Hall
Name of Event 4	Ariene Lululita	2013 - 11 - 29	12:00	12:55	4 Ashley Hall
Name of Event 5	Jan BagelDorf	2013 - 11 - 29	16:00	17:00	5 Brown Theater
Name of Event 6	Al Ron, PhD	2013 - 11 - 29	12:00	14:00	245A Dempsey
Name of Event 7	Matt Smith, Ars Tulip, Angel Mathieu	2013 - 11 - 29	16:00	17:00	101 Brown Hall
Name of Event 8	Dr. John Smith	2013 - 11 - 29	12:00	12:40	4 Ashley Hall
Name of Event 9	Markus Royer	2013 - 11 - 29	16:00	17:00	5 Brown Theater
Name of Event 10	Annie Brown	2013 - 11 - 29	12:00	14:00	245A Dempsey
Name of Event 11	Smar Llull	2013 - 11 - 29	16:00	17:00	101 Brown Hall
Name of Event 12	Marl Upton	2013 - 11 - 29	12:00	12:55	4 Ashley Hall
Name of Event 13	Ariene Lululita	2013 - 11 - 29	16:00	17:00	5 Brown Theater
Name of Event 14					
Name of Event 15					
Name of Event 16					

Contents

- 1 Code Extension & Technologies
- 2 Typeface
- 3 Color Palette
- 4 Main View Structure
- 5 Logo Styling
- 6 Section Navigation Tabs
- 7 List Views
- 8 Modals
- 9 Icons
- 10 Buttons
- 11 Radio Buttons
- 12 Alerts
- 13 Dropdowns
- 14 Input Fields

Code

- **Modularity**

Reusable interface components to build out new views based on the existing code structure.

- **Validation**

All code languages are HTML5 and CSS3 and adhere to W3C standards.

- **Extension**

For ease of UI and UX changes the styling elements are driven by SASS CSS pre-compiler.

HTML



CSS



Sass

Overview Series Upload Filters

Events Overview

16 Rows

Event	Presenter(s)	Date	Start	Stop	Location
Name of Event 1	Dr. John Smith	2013 - 11 - 29	16:00	17:00	123A John Hall
Name of Event 2	Markus Royer	2013 - 11 - 29	12:00	14:00	101 Brown Hall
Name of Event 3	Annie Brown	2013 - 11 - 29	16:00	12:40	101 Brown Hall
Name of Event 4	Smar Llull	2013 - 11 - 29	12:00	12:55	4 Ashley Hall
Name of Event 5	Marl Upton	2013 - 11 - 29	12:00	17:00	5 Brown Theater
Name of Event 6	Arlene Lululita	2013 - 11 - 29	16:00	17:00	245A Dempsey
Name of Event 7	Harvey Bush	2013 - 11 - 29	12:00	14:00	101 Brown Hall
Name of Event 8	Jan BagelDorf	2013 - 11 - 29	16:00	12:40	4 Ashley Hall
Name of Event 9	Al Ron, PhD	2013 - 11 - 29	12:00	12:55	5 Brown Theater
Name of Event 10	Matt Smith, Ars Tulip, Angel Mathieu	2013 - 11 - 29	16:00	17:00	245A dempsey, 247 Dempsey
Name of Event 11	Dr. John Smith	2013 - 11 - 29	12:00	14:00	4 Ashley Hall
Name of Event 12	Markus Royer	2013 - 11 - 29	16:00	17:00	5 Brown Theater
	Annie Brown	2013 - 11 - 29	12:00	14:00	245A Dempsey
			16:00	17:00	101 Brown Hall
			12:00	12:55	4 Ashley Hall
			16:00	17:00	5 Brown Theater

UI Styling

Typeface

Open Sans is an extremely versatile Humanist Sans-Serif typeface designed by Steve Matteson. Delivering a crystal clear look and feel, Open Sans enables users to quickly navigate the software without any clutter. The strengths of this typeface surpass both web and print applications offering excellent legibility for both forms of media. Open Sans is a widely available free font offered through Google Fonts and is widely seen as a web standard face.

Open Sans

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz



Light

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

Regular

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

Semibold

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

Bold

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

Extrabold

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

Light Italic

*Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz*

Italic

*Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz*

Semibold Italic


*Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz*

Bold Italic

*Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz*


Extrabold Italic

*Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz*



Typeface

Main Navigation



Typeface

Main Navigation

Titles, Regular 24pt
#24425C • \$d-blue

Search Fields, Semibold 12pt
#8C939B • \$grey

Search Fields, Semibold 14pt
#C4C7CA

List Navigation & Buttons, Semibold 12pt
#999999

Events Overview


16 Rows

Event	Presenter(s)	Date	Start	Stop	Location	Agent	Status	Action
Name of Event 1	Dr. John Smith	2013 - 11 - 29	16:00	17:00	123A John Hall	epi001	Ingesting	✖ ⏸ ☰
Name of Event 2	Markus Royer	2013 - 11 - 29	12:00	14:00	101 Brown Hall	epi023	Recording	✖ ⏸ ☰
Name of Event 3	Annie Brown	2013 - 11 - 29	16:00	12:40	101 Brown Hall	epi023	Recording	✖ ⏸ ☰
Name of Event 4	Smar Llull	2013 - 11 - 29	12:00	12:55	4 Ashley Hall	epi032	Complete	✖ ⏸ ☰
Name of Event 5	Marl Upton	2013 - 11 - 29	16:00	17:00	5 Brown Theater	epi012	Recording	✖ ⏸ ☰
Name of Event 6	Arlene Lululita	2013 - 11 - 29	12:00	14:00	245A Dempsey	epi031	Recording	✖ ⏸ ☰
Name of Event 7	Harvey Bush	2013 - 11 - 29	16:00	12:40	101 Brown Hall	epi013	Recording	✖ ⏸ ☰
Name of Event 8	Jan BagelDorf	2013 - 11 - 29	12:00	12:55	4 Ashley Hall	epi015	Recording	✖ ⏸ ☰
Name of Event 9	Al Ron, PhD	2013 - 11 - 29	16:00	17:00	5 Brown Theater	epi0192	Complete	✖ ⏸ ☰
Name of Event 10	Matt Smith, Ars Tulp, Angel Mathieu	2013 - 11 - 29	12:00	14:00	245A dempsey, 247 Dempsey	epi015, epi16	Recording	✖ ⏸ ☰
Name of Event 11	Dr. John Smith	2013 - 11 - 29	16:00	17:00	4 Ashley Hall	epi032	Recording	✖ ⏸ ☰
Name of Event 12	Markus Royer	2013 - 11 - 29	12:00	14:00	5 Brown Theater	epi012	Recording	✖ ⏸ ☰
Name of Event 13	Annie Brown	2013 - 11 - 29	16:00	12:40	245A Dempsey	epi031	Complete	✖ ⏸ ☰
Name of Event 14	Smar Llull	2013 - 11 - 29	12:00	12:55	101 Brown Hall	epi013	Ingesting	✖ ⏸ ☰
Name of Event 15	Marl Upton	2013 - 11 - 29	16:00	17:00	4 Ashley Hall	epi015	Recording	✖ ⏸ ☰
Name of Event 16	Arlene Lululita	2013 - 11 - 29	12:00	14:00	5 Brown Theater	epi0192	Recording	✖ ⏸ ☰

List Content, Regular 12pt
#8A8F99 • \$black-80 (preboot)

Color Palette

The color palette is a very cool feeling range of icy blues and crisp greens with cold grey accents. The subtle differences between the colors offer a comfortable viewing experience without losing an ease of differentiation between elements. The blend of colors work together in a mature fashion presenting a more professional environment for users.



#37C180



#378DD4



#24425C



#8C939B



#FAFAFA

Main View Structure

The Admin UI is set up in four main sections. The header bar, action bar, main view and footer.


- 1 The header bar is comprised of the institution branding, as well as any user or language options.



- 2 The action bar is made up of navigational elements such as the tab, links or main action buttons.



- 3 The action bar is made up of navigational elements such as the tab, links or main action buttons.




- 4 The footer holds version information and a single feedback button.





Logo Styling

Logo placement and style are to be simple and placed at the very top-left of the view with a maximum height of 16 pixels. A slightly darker use of the logo is recommended for aesthetics, retaining a simple use of the logo keeps it prominent but not abrupt.



Section Navigation Tab

The section navigation tab is in place for user to easily access other sections of the Admin UI software easily. The tab must be able to collapse and be hidden from the main view to allow users to maximize viewing area.



See icons page for navigation icons used.

List Views

List views are the largest part of the Admin UI design. List views encompass the bulk of all information, lists, status reports, times and activities. They are a crucial part of the Admin UI and should be present throughout information displays.

Services	
●	Captioning #8A8F99
●	Encoding
●	Image Extraction
●	Text Analysis
●	Video Segmentation

Events

16 Rows

Bulk Actions ▾

🔍 Search...

⌵ ⌴ **STATUS: Ingesting** **LOCATION: 123A John Hall** **PRESENTER(S): Mike** × ⚙️

<input type="checkbox"/>		ID	Title	Presenter(s)	Date	Start	Stop	Location	Status	
<input type="checkbox"/>	🕒	123456	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	
<input type="checkbox"/>	🕒	823571	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	
<input type="checkbox"/>	🕒	277363	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	
<input type="checkbox"/>	🕒	837423	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	
<input type="checkbox"/>	🕒	937323	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	823622	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	736631	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 🔴 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	836731	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	128413	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	082124	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 🔊 ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	927562	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 👁️ ▶️ ❌ ⋮
<input type="checkbox"/>	🕒	823721	Event Name 1	Mike	2012-01-01	14:00	16:00	123A John Hall	Ingesting	☰ 🗨️ 🔊 ▶️ ❌ ⋮

Saved Filter Sets

- Rooms
- AV Consultant
- Entwine
- Engineering

Save

< First **1** 2 3 4 Last >


30 ▾

Modals

Modals are a very important part of this interface. Modals are used throughout the software to control a specific function. Modals should be used for every instance of setting controls, user confirmations, exporting or importing data and other related tasks. Sizing of modals depend solely on how complex the action is.

- 1000 pixel width For use with complex modals
- 850 pixel width For use with moderately complex modals
- 600 pixel width For use with less complex modals
- 400 pixel width For use with confirmation modals

1000 Pixel Width Modals



The image shows a modal window titled "Testme1 Details" with a close button (X) in the top right corner. The modal is set against a dark background with left and right navigation arrows. It is divided into two main sections: "Server Details" and "Server Statistics".


Server Details

Status	●
Maintenance Mode	<input type="checkbox"/>
Host Name	Testallinone2
Type	Centos VM
Cores	6
Memory	512 MB
Notes	You can type what ever you want here

Server Statistics

Services	Jobs Running	Jobs Queued	Mean Run Time	Mean Queue Time
Encoding, image extraction and trimming	0	0	00:00	00:00
Media Distribution(Access Control Lists)	0	0	00:00	00:00
Media Distribution(local downloads)	0	0	00:00	00:00
Total	0	0	00:00	00:00

850 Pixel Width Modals



600 Pixel Width Modals

The image shows a modal window titled "Task ID: 456728 Details" with a close button (X) in the top right corner. The modal has three tabs: "General", "Parameters", and "Incidents", with "General" selected. The content is organized into two sections: "State" and "Configuration".

State

State	SUCCEEDED
Job	384
Execution Host	http://google.com/

Configuration

Name	apply-aci
Description	Applying access control entries
Retry Strategy	None
Failed Attempts	0
Retries	1
Exception Handler Task	Error
Fail on Error	True



General

Metadata

Media

Attachments

Workflows

Access

Comments

13 px, #92A0AB

Publication Status

Fits within 36 x 36 px

Instructions on how to use this functionality goes here in this header space.



Engage 13 px, #4D4D4D, font-weight 600 px

Fits within 17 x 17 px



YouTube



Other Channel 1



Other Channel 2



Quick Actions

This is the description about what the current privilege is and how to use this section, there may be a few lines of text here.

Select Workflow



Test Link

Modal Types

A variety of modal types are available for use based on what the modal is to be used for. When extending, please ensure only the following types of modals are used.

The 'Create New Event' modal features a progress bar at the top with five steps: Metadata (active), Source, Processing, Access, and Summary. Below the progress bar is a form with the following fields:

Metadata	
Type *	Enter Title...
Presenter *	Enter Presenter...
Series	Phen333 (1)
Contributor(s)	Enter Contributor(s)...
Subject *	Enter Subject...
Language(s)	Enter Language(s)...
Description	Enter Description...
Copyright	Enter Copyright...
License	CC0 (1)

Buttons: Back, Next Step

Step-By-Step

The 'Event Details 1' modal has a tabbed interface with tabs for General, Metadata, Media, Attachments, Workflows, Access, and Comments. The 'Workflows' tab is active, showing a table of workflow details:

Operational Details	
Workflow Name	None
Education Host	http://google.com/
Selected Materials	0
Max	1
Workflow Number	None
Workflow	Workflow
Full on Error	True
Description	Adding access control errors
Status	SUCCEEDED
Job	386
ID	4545454

Tabbed

The 'Change Status' modal displays a table of events with checkboxes for selection:


Events	Title	Presenter
<input type="checkbox"/>	Science	Sam Smith
<input type="checkbox"/>	Math	Boddy Brown
<input type="checkbox"/>	Art	James Smith

Below the table is a 'Change Status' section with a 'Select' dropdown menu. Buttons: Cancel, Update

Single View

Icons

The icon set is a carefully designed set that utilizes simplicity to convey a clear and concise user experience. Having a simple but effective icon set is crucial for ease of use within sophisticated software environments.



Country Icons

Country icons are located at the top-right of the interface beside the user dropdown to indicate language that the UI is represented in.



24 x 24 px

Section Navigation Tab Icons

These icons are to represent different sections within the UI and should only be represented in a “flat” graphic style. Simplicity is key in the design of section icons. The user must easily identify the icons. Extension of these icons must represent a similar style.

Inactive
#C6C6C6



Active
#A1A1A1




UI Control Icons

Similar to navigation icons, UI control icons should also be represented in a “flat” design for simplicity of use.




Indicator Lights

Indicator lights should be visible to represent the health of an action or system.



Server Status	
●	http://ingest
●	http://core
●	http://worker1
●	http://worker2

Services	
●	Captioning
●	Encoding
●	Image Extraction
●	Text Analysis
●	Video Segmentation



Upload

Inactive, Fits within 24 x 24 px
#C6C6C6




Fits within 16 x 16 px
#C6C6C6

	Recording			
	Complete			
pi16	Recording			
	Recording			
	Recording			

Inactive, Fits within 32 x 32 px
#C6C6C6

Active, Fits within 32 x 32 px
#A1A1A1





Events

Series

Tasks

You have successfully cloned [Title of Event](#), click to edit.

Events

16 Rows

Bulk Actions


Search...

<input type="checkbox"/>		ID	Title	Presenter(s)	Date	Start	Stop
<input type="checkbox"/>	🕒	123456	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	823571	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	277363	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	837423	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	937323	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	823622	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	736631	Event Name 1	Mike	2012-01-01	14:00	16:00
<input type="checkbox"/>	🕒	836731	Event Name 1	Mike	2012-01-01	14:00	16:00



Major Action Buttons

Major Action buttons appear in the action bar, underneath the main navigation bar. These buttons are generally to start a view-wide action like exporting or importing a list. They may also be used for major actions within list views.





Action Buttons

Action buttons are used to allow the user to control steps in a process. Usually placed within a table view, actions include options to delete, process and view statistics. These action buttons will generally opens modal for further action.

Action orders have been placed with detail to hierarchy. Hierarchy used should be as follows.

- 1. Detail Actions
- 2. Sub Actions
- 3. Delete Actions



Radio Buttons

Radio buttons are toggles which allow the user to select only one defined option to either on or off, yes or no. These buttons are generally placed to allow user to trigger a pending action. An example of radio button use would be to activate a server maintenance routine.

Servers 4 Servers Action ⓘ Select ▾

	Host Name	Cores	Jobs Complete	Jobs Running	Jobs Queued	Mean Run Time	Mean Queue Time	Maintenance	Action
●	Testme1	2	347	0	0	3422	0	<input checked="" type="checkbox"/>	☰
●	Testme1	2	347	0	0	3422	0	<input type="checkbox"/>	☰
●	Testme1	2	347	0	0	3422	0	<input type="checkbox"/>	☰
●	Testme1	2	347	0	0	3422	0	<input type="checkbox"/>	☰
●	Testme1	2	347	0	0	3422	0	<input checked="" type="checkbox"/>	☰
●	Testme1	2	347	0	0	3422	0	<input type="checkbox"/>	☰

Alerts

Alerts are used to tell users when actions are incomplete, or rejected. Alerts should be placed at the top of the display view to have an importance in hierarchy. Alerts are represented in "Success", "Info", "Warning" and "Error" states with their corresponding colors below.

42px



Success • \$state-success-text

The user update was rejected because 3 fields are missing or incomplete   #3C763D Border 1px Solid #D6E9C6  #DFF0D8

Info • \$state-info-text

The user update was rejected because 3 fields are missing or incomplete   #387FA2 Border 1px Solid #BCE8F1  #D9EDF7


Warning • \$state-warning-text

The user update was rejected because 3 fields are missing or incomplete   #8A6D3B Border 1px Solid #FAEBCC  #FCF8E3

Danger • \$state-danger-text

The user update was rejected because 3 fields are missing or incomplete   #A94442 Border 1px Solid #EBCCD1  #F2DEDE

Blacklist by User



Cation: The selected date range will blacklist 4 events.

Start Date

End Date

<input checked="" type="checkbox"/>	User	From	Until	Affected Events
<input checked="" type="checkbox"/>	Daniel Smith	June 23rd, 2015 at 9:00	June 23rd, 2015 at 12:00	1
<input checked="" type="checkbox"/>	John Brown	June 23rd, 2015 at 9:00	June 23rd, 2015 at 12:00	1
<input checked="" type="checkbox"/>	Andy Wasklewicz	July 1st, 2015 at 12:00	July 1st, 2015 at 15:00	2

Cancel

Next



Users

Groups

Permissions

Add User

Add Group

Add ACL

The user update was rejected because 3 fields are missing or incomplete

Users

10 Total

Search...


Role

Type

Name	Username	Roles	Type	Action
Andy Wasklewicz	Admin1	ROLE_COURSE_ADMIN, ROLE_USER, SERIES_1_ADMIN	Local	
Sam Smith	Admin12	ROLE_COURSE_ADMIN, ROLE_USER, SERIES_12_ADMIN	LDAP	
John Brown	Admin13	ROLE_COURSE_ADMIN, ROLE_USER, SERIES_13_ADMIN	LDAP	
Julie Orange	Admin15	ROLE_COURSE_ADMIN, ROLE_USER, SERIES_15_ADMIN	LDAP	
Matt Rake	Instructor1	ROLE_INSTRUCTOR, ROLE_USER, SERIES_1_INSTRUCTOR	LDAP	
Art Mark	Instructor2	ROLE_INSTRUCTOR, ROLE_USER, SERIES_2_INSTRUCTOR	LDAP	
Mack Ral	Instructor3	ROLE_INSTRUCTOR, ROLE_USER, SERIES_3_INSTRUCTOR	LDAP	
Blue Fish	Instructor4	ROLE_INSTRUCTOR, ROLE_USER, SERIES_4_INSTRUCTOR	LDAP	
Barkar Forest	Instructor5	ROLE_INSTRUCTOR, ROLE_USER, SERIES_5_INSTRUCTOR	LDAP	
Molly Jones	Instructor6	ROLE_INSTRUCTOR, ROLE_USER, SERIES_6_INSTRUCTOR	LDAP	

Dropdowns

Dropdowns are used when update actions are required or to trigger bulk actions. Dropdowns should be clean and placed at the top of a list view. Dropdowns within a list view should just collapse the list itself.



Server Status ^

Services v

●	Captioning
●	Encoding
●	Image Extraction
●	Text Analysis
●	Video Segmentation

Needs Review v



4 Events on hold

- Event name 1
- Event name 2
- Event name 3
- Event name 4

[Publish](#) [Review All](#)


Input Fields

Input fields are for generic user input. These fields include search fields, filters and comments.





1px solid # 378DD4

The Search bar can have an animation to extend into a wider field when clicked.



Filters



Filter Views

Step 2:

Filters:

+ Select Type ▾ × ⋮

- Location
- Period
- Source
- Status

Step

Filters:

+ Location ▾ Select ▾ × ⋮

Step 6:

Filters:

+ Select Type ▾ × ⋮

Saved Filter Sets

Name *

Description

Cancel Save